

Author index

- Abeysekera, R. 79
Alevisopoulos, S. 79
Asano, N. 195
Azuma, J.-i. 213
- Bacic, A. 147
Bock, K. 101
Buchert, J. 1
Buttersack, C. 205
- Craik, D. 147
Currie, G. 147
- Diggle, H.J. 259
Duus, J.O. 101
- El Nemr, A. 31
- Galbis, J.A. 251
Gamian, A. 61
- Haseley, S.R. 259
Hausalo, T. 1
Heinrich-Schramm, A. 205
- J. Brasch, D. 119
- Kasapis, S. 79
Kato, A. 195
Katzenellenbogen, E. 61
Kizu, H. 195
Knirel, Y.A. 61, 71, 223
Kobayashi, Y. 31
Kocharova, N.A. 61
Kochetkov, N.K. 61, 71
Kováč, P. 173
Kübler, J. 61
Kurane, R. 213
Kuwahara, R. 15
- Lei, P.-s. 173
Lüdemann, H.-D. 205
- MacDougall, A.J. 235
Mathà, M. 133
Matsui, K. 195
Meldal, M. 101
Miethchen, R. 139
Moll, H. 223
Munro, S.L.A. 147
- Nash, R.J. 195
Needs, P.W. 235
Nohata, Y. 213
- Ogawa, Y. 173
- Panikkar, R. 119
Parolis, H. 101
Parolis, L.A.S. 101
Perttula, M. 1
- Rentsch, D. 139
Reznicek, G. 133
Rigby, N.M. 235
Ring, S.G. 235
Romanowska, E. 61
- Senchenkova, S.N. 71
Shashkov, A.S. 61, 71
Sidorczyk, Z. 71
Siika-aho, M. 1
Sims, I.M. 147
Sorsa, H. 1
- Teleman, A. 1
Tenkanen, M. 1
Tsuchiya, T. 15, 31
- Watson, A.A. 195
Wilkinson, S.G. 259
- Zähringer, U. 223
Zamora, F. 251
Zych, K. 71





ELSEVIER

Carbohydrate Research 293 (1996) C7-C10

CARBOHYDRATE
RESEARCH

Subject index

O-Acetylation

Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147

N-Acetylismuramic acid

Structure of a new N-acetylismuramic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71

Acinetobacter baumannii

Structure of a surface polysaccharide from *Acinetobacter baumannii* O16 259

Aldono-1,5-lactones

Synthesis of 3-deoxy-2,4-di-O-methyl-D-erythro-pentono-1,5-lactone and of its L-enantiomer by stereoselective hydrogenation of α,β -unsaturated aldono-1,5-lactones 251

Alginates

Composition and block structure of alginates from New Zealand brown seaweeds 119

Altrosides

A convenient synthesis of *endo*-H ethylidene acetals 139

Aminoglycoside antibiotic

Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-glycero-hexopyranose 15

O-Antigen

Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei* PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(*R*)-3-hydroxy-butyramido]-D-glucose 61

Structure of a new N-acetylismuramic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71

Bacterial polysaccharide, structure

Structure of a new N-acetylismuramic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71

4-O-Benzyl-3-deoxy-L-glycero-tetronic acid

Synthesis of eight glycosides of hexasaccharide fragments representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba and Ogawa, bearing aglycons suitable for linking to proteins 173

Branched-chain sugars

α -Hydrogen elimination in some carbohydrate triflates 31

Brown seaweed

Composition and block structure of alginates from New Zealand brown seaweeds 119

Butyllithium

α -Hydrogen elimination in some carbohydrate triflates 31

Calcium

Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235

Calystegine B₄

Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195

Carbanion

α -Hydrogen elimination in some carbohydrate triflates 31

Carbene

α -Hydrogen elimination in some carbohydrate triflates 31

Carbohydrates

A convenient synthesis of *endo*-H ethylidene acetals 139

CI-mass spectrometry

Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133

Conformational analysis

Synthesis of 3-deoxy-2,4-di-O-methyl-D-erythro-pentono-1,5-lactone and of its L-enantiomer by stereoselective hydrogenation of α,β -unsaturated aldono-1,5-lactones 251

- 5-Deoxy-5-fluorination
 Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-glycero-hexopyranose 15
- Deuterated compound
 α -Hydrogen elimination in some carbohydrate triflates 31
- Diastereoselective hydrogenation
 Synthesis of 3-deoxy-2,4-di-O-methyl-D-erythro-pentono-1,5-lactone and of its L-enantiomer by stereoselective hydrogenation of α,β -unsaturated aldono-1,5-lactones 251
- EI-mass spectrometry
 Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133
- Electrospray ionisation
 Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147
- Enterobacteria
 Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei* PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(R)-3-hydroxy-butyramido]-D-glucose 61
- Ethylidene acetals
 A convenient synthesis of *endo*-H ethylidene acetals 139
- Gelatin
 Formation of kinetically trapped gels in the maltodextrin-gelatin system 79
- Gelation
 Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235
- GLC-MS
 Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195
- Glucosides, aqueous solution
 c,T -Dependence of the self-diffusion in concentrated aqueous solutions of methyl α - and β -D-glucopyranosides 205
- Glycosides
 Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133
- Glycosylation
 Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-glycero-hexopyranose 15
- Hafnia alvei*
 Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei* PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(R)-3-hydroxy-butyramido]-D-glucose 61
- endo*-H Diastereomers
 A convenient synthesis of *endo*-H ethylidene acetals 139
- Hexasaccharide
 Synthesis of eight glycosides of hexasaccharide fragments representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba and Ogawa, bearing aglycons suitable for linking to proteins 173
- HPAED-PAD
 4-O-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1
- Hydrogenation
 A convenient synthesis of *endo*-H ethylidene acetals 139
- Kinetic effects
 Formation of kinetically trapped gels in the maltodextrin-gelatin system 79
- Kraft pulp
 4-O-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1
- Linkage analysis
 Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147
- Lipopolysaccharide
 Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei* PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(R)-3-hydroxy-butyramido]-D-glucose 61
 Structure of a surface polysaccharide from *Acinetobacter baumannii* O16 259
- Lipopolysaccharide, acid degradation
 Structure of a new *N*-acetylismuramic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71
- Maltodextrin
 Formation of kinetically trapped gels in the maltodextrin-gelatin system 79
- Mass spectrometry
 Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147
- Methylation
 Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133

- 4-*O*-Methyliduronic acid
4-*O*-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1
- Methylolithium
 α -Hydrogen elimination in some carbohydrate triflates 31
- Na in liquid NH₃
Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-*glycero*-hexopyranose 15
- Neoglycoconjugate
Synthesis of eight glycosides of hexasaccharide fragments representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba and Ogawa, bearing aglycons suitable for linking to proteins 173
- Nicotiana plumbaginifolia*
Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147
- NMR
Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147
- NMR spectroscopy
4-*O*-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1
Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei* PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(*R*)-3-hydroxy-butylamido]-D-glucose 61
- O16 Antigen, structure
Structure of a surface polysaccharide from *Acinetobacter baumannii* O16 259
- Pb(OAc)₄ oxidation
Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-*glycero*-hexopyranose 15
- Pectic polysaccharide
Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235
- Phase separation
Formation of kinetically trapped gels in the maltodextrin-gelatin system 79
- Proteus*
Structure of a new *N*-acetylismuramic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71
- Proton 1,2-shift
 α -Hydrogen elimination in some carbohydrate triflates 31
- Reductive amination
Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-*glycero*-hexopyranose 15
- Ripening
Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235
- Scopolia japonica*
Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195
- Self-diffusion
c,*T*-Dependence of the self-diffusion in concentrated aqueous solutions of methyl α - and β -D-glucopyranosides 205
- Solvent partition
Formation of kinetically trapped gels in the maltodextrin-gelatin system 79
- Structural analysis
Composition and block structure of alginates from New Zealand brown seaweeds 119
- Structure/activity relationships
Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195
- Sugar linkage determination
Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133
- Tomato
Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235
- Transition state
 α -Hydrogen elimination in some carbohydrate triflates 31
- Trehalase inhibitor
Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195
- Triflate
 α -Hydrogen elimination in some carbohydrate triflates 31
- Trimethylsilylation
Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133
- Unsaturation
 α -Hydrogen elimination in some carbohydrate triflates 31
- Vibrio cholerae* O-antigen
Synthesis of eight glycosides of hexasaccharide fragments representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba and Ogawa, bearing aglycons suitable for linking to proteins 173

Xylan

4-*O*-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1

Xylanase

4-*O*-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1

Xyloglucan

Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147